SAFETY DATA SHEET

U.S. DEPARTMENT OF LABOR OSH.

OSHA HAZARD COMMUNICATION

STANDARD OMB NO/1218-0072

SECTION 1: IDENTIFICATION

PRODUCT TRADE NAME: RHINO HIDE'S ULTRAMEANTM 7500

PRODUCT DESCRIPTION: MOLD STAIN REMOVER

Manufactured for: HomeWood Solutions, LLC For chemical emergency:

P.O. Box 909 Telephone: 863-665-0203 1-800-535-5053 Eaton Park, FL 33840 863-665-2039 (fax) Rev: 4-8-2016

SECTION 2: HAZARD IDENTIFICATION

Potential effects of a single (Acute Overexposure)

EYE: May cause eye irritation.

SKIN: Prolonged or repeated exposure may cause skin irritation. May be absorbed through the skin.

INGESTION: Can be harmful if swallowed. May cause burning, nausea, and vomiting. May cause renal damage.

INHALATION: Avoid breathing vapors or mist. Harmful if inhaled. Can cause irritation and burns of the nose, throat and respiratory tract.

CHRONIC: Prolonged or repeated skin contact may cause dermatitis. Repeated inhalation may cause chronic bronchitis.

SECTION 2: COMPOSTION / INFORMATION ON INGREDIENTS

Oxalic Acid 144-62-7 $1 \text{mg/m}^3 \text{ Shr.}$ $TWA = 1 \text{ mg/m}^3 \text{ (Stel} = 2 \text{mg/m}^3)$

*ACGIH TLV **OSHA MC Standard TLV

SECTION 4: FIRST AID MEASURES

EYES: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower lids. Seek medical aid immediately.

SKIN: Flush effected area of skin with plenty of soap and water for at least fifteen (15) minutes while removing contaminated clothing.

INGESTION: Do <u>not</u> induce vomiting. Never give anything by mouth to an unconscious person. If conscious, give large amounts of milk. Seek medical aid immediately.

INHALATION: Remove from exposure to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical aid immediately.

NOTES TO PHYSICIAN: There is no specific antidote for effects from overexposure to this material. Treatment should be directed at the control of symptoms and the clinical conditions.

SECTION 5: FIRE FIGHTING MEASURES

PROTECTION TO FIREFIGHTERS: As in any fire, wear complete fire service protective equipment including full face NIOSH/MSHA approved or equivalent self-contained breathing apparatus. Use water to cool fire exposed containers and structure. Protect personnel.

EXTINGUISHING MEDIA: Use dry chemical, carbon dioxide, or foam for small fires.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Absorb spill with inert material, (e.g., dry sand or earth), and then place into a chemical waste container for proper disposal in accordance with local, state, and federal guidelines.

SECTION 7: HANDLING AND STORAGE

HANDLING: Wash thoroughly after handling. Remove contaminated clothing and wash before re-use. Use with adequate ventilation. Keep container tightly closed. Avoid skin contact.

STORAGE: Store in cool, dry, well-ventilated area away from incompatible substances like strong oxidizers or caustic materials.

KEEP OUT OF REACH OF CHILDREN

SECTION 8: EXPSOURE CONTROL/PERSONAL PROTECTION

ENGINEERING CONTROLS: Use adequate general or local exhaust ventilation to keep airborne concentrations below the OSHA permissible exposure limit of 25 ppm.

PERSONAL PROTECTIVE EQUIPMENT:

EYES: Wear appropriate eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN 166.

SKIN: Wear appropriate protective clothing to prevent skin exposure.

RESPIRATORS: Follow the OSHA respirator regulations found in 29 CFR 1910.134 and

1910.1052 or European Standard EN 149 for approved respirator when necessary.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: N/E

VAPOR PRESSURE @ 20°C: N/E

VAPOR DENSITY @ 1 ATMOSPHERE: N/E

PH: >1.00

APPEARANCE: Clear viscous liquid

ODOR: Mild odor

PHYSICAL STATE: Liquid

SOLUBILITY: N/E

SECTION 10: STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable under normal temperature and pressures.

CONDITIONS TO AVOID: Corrodes glass, cement and most metals. Do not store in glass or porcelain.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon Monoxide and Carbon Dioxide.

HAZARDOUS POLYMERIZATION: Will not occur.

SECTION 11: TOXICOLOGICAL INFORMATION

CARCINOCENICITY: This product is not considered a carcinogen by IARC or NTP and is non-regulated by OSHA.

SECTION 12: ECOLOGICAL INFORMATION

N/A

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of products according to federal, state and local regulations.

SECTION 14: TRANSPORTATION INFORMATION

This product is considered non-hazardous and not regulated by D.O.T.

SECTION 15: REGULATORY INFORMATION

CERCLA: None of these chemicals in this product have a TPQ SARA: None of these chemicals in this product have a TPQ TSCA: The components of this mixture are listed in TSCA.

SECTION 16: DISCLAIMER

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to HOMEWOOD SOLUTIONS, LLC (HWS, LLC) from its suppliers, and because HWS, LLC has no control over the conditions of handling and use, HWS, LLC makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and HWS, LLC assumes no responsibility for use or reliance thereon. It is the responsibility of the user of HWS, LLC products to comply with applicable federal, state, and local laws and regulations.

MS0049-9139